Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	447	((conver\$5 or transform\$5) with (halfton\$3 or half-ton\$3 or (half adj2 ton\$3) or half\$3ton\$3) with (multi\$6ton\$3 or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 11:00
S2	133	S1 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (halfton\$3 or half-ton\$3 or (half adj2 ton\$3) or half\$3ton\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:06
S6	. 81	S5 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (halfton\$3 or half-ton\$3 or (half adj2 ton\$3) or half\$3ton\$3) near6 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:07
S3	47	S2 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:07
S5	344	((conver\$5 or transform\$5) with (halfton\$3 or half-ton\$3 or (half adj2 ton\$3) or half\$3ton\$3) with (multi\$6ton\$3 or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:18
S4	5	S3 and ((input\$5 or receiv\$5 or recept\$5) near6 (raster\$5 near2 (imag\$5 or data)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:19
S7	27	S6 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:20
S12	51	S11 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3) near6 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 11:45

	<u> </u>				_	
S16	6	S8 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 (whole or complete\$3 or entire\$3) near3 (document or data or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:01
S15	5	S10 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 (whole or complete\$3 or entire\$3) near3 (document or data or image))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 12:01
S11	83	S10 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:04
S8	2628	((conver\$5 or transform\$5) with (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3) with (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 12:11
S18	386	S17 and ((input\$5 or receiv\$5 or recept\$5) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 12:14
S10	577	S9 and ((input\$5 or receiv\$5 or recept\$5) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:14

S14	. 1	S10 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 (whole or complete\$3 or entire\$3) near3 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:15
S20	. 59	S18 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9 or detect\$7) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:16
S19	0	S18 and ((discriminat\$5 or judg\$5 or decid\$5 or sort\$5 or determin\$9 or detect\$7) near6 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) near6 (whole or complete\$3 or entire\$3) near3 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:16
S9	836	S8 and ((input\$5 or receiv\$5 or recept\$5) near6 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3) near6 (image or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:30
S22	2	"5774634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:46
S23	. 1	"5774634".pn. and (image near3 page) same discriminat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 12:48
S24		"5774634".pn. and (image near3 (whole or entire\$5))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:36
S26	1	"5774634".pn. and raster\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 13:58

S29	0	"6108105".pn. and (descript\$5 adj2 language)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:11
S28	0	"6108105".pn. and pdl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:11
S27	0	"6108105".pn. and raster\$8	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:11
S30	1	"6108105".pn. and ((input\$5 or receiv\$5) adj2 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 14:18
S32	0	"5930404".pn. and (conver\$5 same (half\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:39
S31		"6108105".pn. and (binary with half\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:39
S33	2	"5930404".pn. and (conver\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:40
S36		"5930404".pn. and pdl	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/14 14:41
S35	0	"5930404".pn. and raster\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:41
S34	1	"5930404".pn. and (conver\$5 with binar\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 14:41

S21	46	S20 and ((input\$5 or receiv\$5 or recept\$5) near6 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3) near6 (image or data))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:02
S38	1	"6134025".pn. and (dither\$5 same multi\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:03
S37	1	"6134025".pn. and (dither\$5 with multi\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/14 15:03
S25	1	"5774634".pn. and ((input\$5 or receiv\$5) adj2 image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:28
S39	1	"5774634".pn. and (imag\$4 same multi-value same binary same discriminat\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:29
S17	934	((conver\$5 or transform\$5) adj5 (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))) adj5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:38
S40		((selectiv\$5 near3 (conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:44
S41	10	(((conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same ((ignor\$5 or "not" or pass\$3 or bypass\$5) near3 (conver\$5 or transform\$5)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:48

						·
S42	2413	(((conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 15:49
S43		(((conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5)))) and ((ignor\$5 or "not" or pass\$3 or bypass\$5 or skip\$5 or avoid\$5 or without) near3 (conver\$5 or transform\$5) near6 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:04
S45	• 274.	(half\$3ton\$5 near2 bit\$3map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:10
S46	201	(half\$3ton\$5 near2 bit\$3map\$5) near3 imag\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 16:20
S47	0	"6570665".pn. and (imag\$5 same (bitmap\$5) same contin\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:21
S49	156	((continuous adj2 tone) with (multi\$9level or (multiple adj2 gradat\$5)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 16:25
S44	1	"732704".ap. and (bit adj2 map\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:30
S51		"6570665".pn. and (conver\$5 near2 page)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:31

S48	1	"6570665".pn. and (imag\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 16:31
S50	1	"732704".ap. and (raster\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:04
S53	6	"5870503".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON	2006/03/14 17:37
S52	0	"732704".ap. and offset\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/14 17:37
S55	6	S54 and ((input\$5 or receiv\$5) same raster\$9)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	ON .	2006/03/15 12:37
S57	2	"5774634".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:41
S58	1	"5774634".pn. and (input\$5 near2 terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:42
S60	1	"5774634".pn. and ((input\$5) same (rip or raster\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:43
S59	1	"5774634".pn. and ((input\$5 near2 terminal) same (rip or raster\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:43
S61	1	"5774634".pn. and ((receiv\$5) same (rip or raster\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 12:44

S56		S54 and ((input\$5 or receiv\$5) same (RIP or raster\$9))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:04
S63	0	"732704".ap. and (postscript)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:05
S62	· 1	"732704".ap. and (pdl)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/15 13:05
S54	38	(((conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5)))) and ((ignor\$5 or "not" or pass\$3 or bypass\$5 or skip\$5 or avoid\$5 or without) near3 (conver\$5 or transform\$5) near6 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:13
L3	1	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:14
L2	47	(yasuhiko near3 muramoto).in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR ·	ON	2006/03/16 12:14
L1	2416	(((conver\$5 or transform\$5) near5 (halfton\$3 or half-ton\$3 or bi\$3level\$5 or binary or (half adj2 ton\$3) or half\$3ton\$3)) same (multi\$6ton\$3 or contone or (continuous adj2 ton\$5) or multi\$6gradat\$5 or multi\$6level or (multi\$6 adj2 (level or ton\$3 or gradat\$5))))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/03/16 12:14